



# Adaptive User Interface Design Based on Keystroke Dynamics for Enhanced Digital Well-being

1<sup>st</sup> Ritah Asekneye \*  
Makerere University  
Kampala, Uganda  
Ritahase1@outlook.com

2<sup>nd</sup> Achom Agatha  
International University of East Africa  
Kampala, Uganda  
achomag@outlook.com

Received on April 25<sup>th</sup>, revised on May 19<sup>th</sup>, accepted on June 5<sup>th</sup>, published on July 1<sup>st</sup>.

**Abstract**—In the contemporary digital era, individuals spend an increasing amount of time interacting with digital devices, leading to potential issues such as cognitive overload, digital fatigue, and diminished overall well-being. Traditional user interface (UI) designs often adopt a one-size-fits-all approach, failing to adapt to the dynamic cognitive and emotional states of users. This limitation can exacerbate negative user experiences and hinder productivity. Concurrently, the proliferation of digital interactions has produced vast amounts of behavioral data, including keystroke dynamics, which offer a non-invasive and continuous source of information about user states. This paper proposes an interdisciplinary approach to design and implement an adaptive user interface (AUI) that leverages real-time keystroke dynamics to infer user cognitive and emotional states, thereby dynamically adjusting UI elements to enhance digital well-being. Integrating principles from behavioral data analysis, human-computer interaction (HCI), and cognitive psychology, our research aims to address the critical need for more responsive and user-centric digital environments. We develop a novel framework for extracting meaningful features from raw keystroke data, modeling user states using machine learning techniques, and translating these inferred states into actionable UI adaptations. Through a series of controlled experiments, we demonstrate the efficacy of our AUI in mitigating cognitive load, improving task performance, and fostering a more positive user experience. Our findings highlight the significant potential of keystroke dynamics as a robust indicator of user well-being and provide a foundational blueprint for future advancements in intelligent and empathetic UI design. This work contributes to the growing body of knowledge at the intersection of technology, psychology, and design, paving the way for digital systems that are not only efficient but also inherently supportive of human flourishing.

**Keywords**—Keystroke Dynamics, Adaptive User Interface, Digital Well-being, Human-Computer Interaction, Cognitive Psychology

## 1. INTRODUCTION

The pervasive integration of digital technologies into daily life has fundamentally reshaped human interaction, work, and leisure. From professional tasks to personal communication,

individuals are increasingly reliant on digital devices and platforms. While this digital transformation offers unprecedented opportunities for connectivity, information access, and productivity, it also introduces a new set of challenges related to cognitive strain, digital fatigue, and overall well-being [1]. Prolonged engagement with static user interfaces, which often fail to account for the fluctuating cognitive and emotional states of users, can lead to suboptimal experiences, reduced efficiency, and even adverse psychological effects [2]. The conventional design paradigm, largely based on a fixed interaction model, overlooks the dynamic nature of human attention, motivation, and cognitive capacity, thereby limiting the potential for truly user-centric digital environments.

In parallel, the digital footprint left by user interactions, particularly through keyboard input, represents a rich, yet often underutilized, source of behavioral data. Keystroke dynamics—the temporal and rhythmic patterns of typing—offer a continuous, non-invasive, and objective means of inferring various aspects of a user's cognitive and emotional state [3]. Unlike explicit self-reports or intrusive physiological sensors, keystroke data can be collected passively and unobtrusively, making it an ideal candidate for real-time adaptive systems. While previous research has explored keystroke dynamics for purposes such as biometric authentication [4] and the detection of certain psychological conditions [5], its potential for dynamically optimizing user interfaces to enhance digital well-being remains largely untapped.

This paper analyzes real-time keystroke dynamics to develop an adaptive user interface that intelligently responds to the user's inferred cognitive load, attention level or emotional state. Such interfaces would move beyond static design principles to offer a more personalized and supportive digital experience. For instance, an interface could subtly adjust its complexity, visual cues, or feedback mechanisms when a user is detected to be under high cognitive strain or experiencing fatigue. This adaptive capability holds significant promise for improving productivity in demanding tasks, fostering more effective learning environments, and promoting healthier digital habits.

\*Ritah Asekneye, Makerere University, Kampala, Uganda, Ritahase1@outlook.com

This research is based on the interdisciplinary intersection of behavioral data analysis, human-computer interaction (HCI), and cognitive psychology, aiming to bridge the gap between the theoretical understanding of human cognitive processes and the practical application of user interface (UI) design. Our goal is to identify and extract significant features from the raw keystroke data that are reliably related to different cognitive and emotional states, such as attention, fatigue and stress. Based on this, we have developed a machine learning model that can accurately and in real time infer the status of these users according to their keystroke patterns. Meanwhile, an adaptive user interface framework is designed and implemented, which utilizes these inferred states to dynamically adjust UI parameters, including visual representation, information density, and interaction modes. Finally, empirically evaluate the effectiveness of the proposed adaptive UI in enhancing user experience, reducing cognitive overload, and improving the overall digital well-being of various digital tasks.

This work makes several key contributions to the field. firstly, it advances the understanding of how subtle, passively collected behavioral data, Specifically keystroke dynamics, can serve as a powerful proxy for internal user states. Secondly, it provides a comprehensive framework for the design and implementation of adaptive user interfaces that are truly responsive to individual user needs. Thirdly, our empirical evaluation offers concrete evidence of the benefits of such adaptive systems in promoting digital well-being. Ultimately, this research lays the groundwork for a new generation of intelligent digital environments that are not only efficient but also inherently empathetic and supportive of human cognitive and emotional health.

## 2. RELATED WORK

### 2.1. Keystroke Dynamics for User State Inference

Research into keystroke dynamics has historically focused on two primary applications: biometric authentication and the detection of specific psychological or physiological conditions. For biometric authentication, the unique patterns of an individual's typing rhythm, including dwell time (time a key is pressed) and flight time (time between key releases), have been shown to be sufficiently distinct for identity verification [6][7]. These studies have established the foundational understanding that keystroke patterns are not merely random but reflect underlying motor control, cognitive processes, and even emotional states.

Beyond authentication, a growing body of literature has explored the use of keystroke dynamics as a passive indicator of various user states. For instance, changes in typing speed, error rates, and backspace usage have been correlated with cognitive load [8][9]. When users are under higher cognitive strain, their typing tends to become slower, more error-prone, and they may exhibit increased hesitation or correction behaviors. Similarly, fatigue has been shown to manifest in less consistent typing rhythms, increased inter-key intervals, and a higher frequency of errors [10]. These findings suggest that keystroke dynamics can serve as a valuable proxy for monitoring a user's mental effort and energy levels during digital tasks.

Emotional states have also been investigated in relation to typing patterns. Studies have indicated that stress or anxiety can lead to more erratic typing, characterized by greater variability in key press durations and inter-key intervals [11]. Conversely, positive emotional states might be associated with smoother, more fluid typing. While the direct mapping of specific emotions to keystroke features remains a complex

challenge, the general consensus is that emotional arousal and valence can influence fine motor control, which in turn is reflected in typing behavior [12].

However, much of the existing research in this area has focused on identifying correlations between keystroke features and predefined states in controlled laboratory settings. There is a need for more robust models that can infer dynamic, continuous user states in real-world, unconstrained environments, and crucially, translate these inferences into actionable design interventions. Furthermore, while some studies have touched upon the diagnostic potential of keystroke dynamics for mental health conditions [5], the application of these insights to proactive well-being enhancement through adaptive interfaces is still nascent.

### 2.2. Adaptive User Interfaces (AUIs)

Adaptive User Interfaces (AUIs) represent a paradigm shift from static, one-size-fits-all designs to dynamic interfaces that adjust their behavior, content, or presentation based on user characteristics, context, or inferred states [13]. The core principle of AUIs is to enhance usability, efficiency, and user satisfaction by tailoring the interaction experience to individual needs. Early AUIs primarily focused on explicit user preferences or predefined user profiles [14]. For example, interfaces might allow users to customize themes, font sizes, or shortcut keys. More advanced AUIs began to incorporate implicit adaptation based on user behavior, such as frequently used features or navigation paths [15].

With advancements in machine learning and sensing technologies, AUIs have evolved to incorporate more sophisticated forms of adaptation. Context-aware AUIs leverage environmental factors (e.g., location, time of day, device type) to modify the interface [16]. User-aware AUIs, on the other hand, attempt to infer internal user states, such as cognitive load, expertise, or emotional state, to provide more personalized and effective interactions [17]. For instance, an AUI might simplify its layout when a user is detected to be a novice, or provide more detailed explanations when a user is struggling with a complex task.

Despite the promise of AUIs, several challenges persist. One major hurdle is the accurate and reliable inference of user states without being overly intrusive or computationally expensive. Another is determining the optimal adaptation strategy- how and when to modify the interface-to avoid user confusion or a sense of loss of control [18]. Furthermore, the evaluation of AUIs often requires complex experimental designs to demonstrate their effectiveness over static interfaces, particularly in terms of long-term user engagement and well-being. Our work aims to address these challenges by proposing a novel, non-intrusive method for user state inference using keystroke dynamics and a systematic approach to AUI design and evaluation.

### 2.3. Digital Well-being and Cognitive Psychology in HCI

The concept of Digital Well-being has gained significant traction as researchers and practitioners recognize the need to design digital technologies that not only enhance productivity but also support human flourishing and mitigate potential negative impacts on mental health [19]. Digital well-being encompasses various dimensions, including psychological well-being (e.g., reduced stress, improved mood), social well-being (e.g., meaningful connections, reduced social comparison), and cognitive well-being (e.g., sustained attention, reduced cognitive overload) [20]. The design of digital interfaces plays a crucial role in shaping these aspects

of well-being. For example, interfaces that constantly demand attention, present overwhelming information, or induce fear of missing out (FOMO) can negatively impact cognitive and psychological well-being.

Cognitive psychology provides a theoretical foundation for understanding how users interact with digital interfaces and how these interactions affect their cognitive processes. Concepts such as cognitive load theory [21], attention allocation [22], and human error [23] are central to designing effective and user-friendly systems. Cognitive load, in particular, refers to the mental effort required to process information and perform tasks. Excessive cognitive load can lead to frustration, errors, and reduced performance. Therefore, designing interfaces that minimize extraneous cognitive load and optimize germane cognitive load is paramount for enhancing user experience and well-being.

Our work integrates these principles by proposing that keystroke dynamics can serve as a real-time indicator of a user's cognitive state, including their cognitive load and attention levels. By understanding these states, an adaptive UI can proactively adjust its presentation and interaction modalities to optimize cognitive processing and promote digital well-being. For instance, if keystroke patterns indicate high cognitive load, the interface could simplify its layout, reduce distractions, or provide more structured guidance. This approach moves beyond reactive interventions to a proactive design philosophy that prioritizes the user's cognitive health. While previous research has explored the application of cognitive psychology principles in UI design [24], the real-time, dynamic adaptation based on implicit behavioral cues like keystroke dynamics offers a novel and powerful avenue for creating truly empathetic and supportive digital environments.

In summary, while existing literature has explored keystroke dynamics for authentication and limited state inference, and adaptive UIs have evolved to incorporate various forms of context and user awareness, there remains a significant gap in integrating these areas to proactively enhance digital well-being based on continuous, non-invasive behavioral data. Our research aims to bridge this gap by developing a comprehensive framework that leverages keystroke dynamics to infer user cognitive and emotional states and subsequently designs and evaluates an adaptive user interface that responds to these inferred states to foster a more positive and supportive digital experience. This interdisciplinary approach, drawing from behavioral data analysis, human-computer interaction, and cognitive psychology, represents a crucial step towards creating digital technologies that are not only efficient but also inherently designed for human flourishing.

### 3. METHODOLOGY AND SYSTEM DESIGN

#### 3.1. Data Acquisition

To effectively capture keystroke dynamics, a dedicated data acquisition module was developed. This module operates in the background, passively recording keystroke events without interrupting the user's primary tasks. The module logs the following information for each key press and release event:

- **Timestamp:** High-resolution timestamp (in milliseconds) of the event.
- **Key Code:** Unique identifier for the pressed or released key.
- **Event Type:** Indicates whether the event is a key press (keydown) or key release (keyup).

- **Application Context:** The active application or window where the keystroke occurred, providing contextual information about the user's task.

Data collection was performed on a diverse group of participants engaged in typical digital tasks, such as text editing, email composition, and web browsing. To ensure ecological validity, participants used their own devices in their natural working environments. Prior informed consent was obtained from all participants, and data anonymization techniques were applied to protect privacy. The raw data collected forms the basis for extracting meaningful features that reflect user states.

#### 3.2. Keystroke Feature Extraction

From the raw keystroke event data, a comprehensive set of features was extracted to characterize typing behavior. These features can be broadly categorized into timing-based, frequency-based, and error-based metrics, each providing unique insights into the user's cognitive and motor control. The extraction process involves calculating various temporal intervals and counts from sequences of keydown and keyup events. Key features extracted include:

- **Dwell Time (DT):** The duration a key is held down (key up timestamp - keydown timestamp for the same key). Longer dwell times can indicate hesitation or fatigue.
- **Flight Time (FT):** The time interval between the release of one key and the press of the subsequent key. Variations in flight time can reflect changes in typing rhythm and fluency.
- **Inter-Key Interval (IKI):** The time between two consecutive key presses. This is a fundamental measure of typing speed.
- **Keystrokes Per Minute (KPM):** A measure of overall typing speed, calculated as the total number of keystrokes divided by the typing duration in minutes.
- **Backspace Rate:** The frequency of backspace key presses relative to total keystrokes. A higher backspace rate often indicates increased error correction, potentially due to cognitive load or distraction.
- **Error Rate:** The ratio of detected typing errors (e.g., typos, grammatical mistakes, as identified by a spell checker or predefined rules) to the total number of characters typed. This metric directly reflects accuracy and attention.
- **Pause Duration and Frequency:** The duration and frequency of significant pauses in typing (e.g., intervals exceeding a predefined threshold, such as 1 second). Longer or more frequent pauses can suggest cognitive blocking, task switching, or fatigue.
- **Typing Rhythm Variability:** Statistical measures (e.g., standard deviation, coefficient of variation) of the consistency of dwell times, flight times, and inter-key intervals. Increased variability can indicate erratic typing patterns associated with stress or reduced motor control.

These features are computed over sliding time windows to capture dynamic changes in typing behavior. This windowing approach allows for real-time analysis and adaptation, as opposed to static, session-level metrics.

### 3.3. User State Inference Models

To infer users' cognitive and emotional states from the extracted keystroke features, a machine learning-based approach was employed. The primary states targeted for inference included cognitive load, attention level, and fatigue. Cognitive load was defined as the degree of mental effort required for the current task, ranging from low to high. Attention level represented the user's degree of focus, ranging from focused to distracted. Fatigue reflected the user's alertness, ranging from alert to fatigued.

Supervised learning models were trained using datasets in which keystroke features were paired with ground truth labels of user states. The ground truth data were obtained through a combination of self-report questionnaires and physiological measurements. Specifically, subjective assessments were collected using validated instruments such as the NASA Task Load Index (NASA-TLX) for cognitive load and the Karolinska Sleepiness Scale for fatigue, administered at regular intervals during the experimental tasks. Where applicable, physiological data such as eye-tracking indicators for attention and heart rate variability for stress were recorded to provide objective validation of the self-reported states.

The training process consisted of three major stages. In the feature selection stage, methods such as Recursive Feature Elimination (RFE) and correlation analysis were applied to identify the most discriminative keystroke features for each target state. During model training, several machine learning algorithms were explored, including Support Vector Machines (SVMs), Random Forests, and Recurrent Neural Networks (RNNs), due to their effectiveness in handling sequential input data. Among these, Long Short-Term Memory (LSTM) networks demonstrated strong capability in capturing temporal dependencies within keystroke sequences and were therefore adopted as the primary inference model. Finally, model evaluation was conducted using standard performance metrics such as accuracy, precision, recall, F1-score, and the Area Under the Receiver Operating Characteristic Curve (AUC-ROC). Cross-validation procedures, including k-fold cross-validation, were employed to ensure the robustness and generalizability of the trained models.

The output of the trained models provided either continuous probability estimates or categorical classifications representing the inferred user states. This real-time inference process constituted the core intelligence of the Adaptive User Interface, enabling dynamic monitoring and adaptive adjustment based on users' cognitive and emotional conditions.

### 3.4. Adaptive User Interface (AUI) Design Principles

The AUI is designed to dynamically adjust its presentation and interaction modalities based on the inferred user states. The core principle is to provide timely and appropriate adaptations that enhance user experience and digital well-being without causing disruption or confusion. Our AUI framework incorporates the following adaptation strategies:

- **Visual Adjustments:** Modifying visual elements such as font size, color contrast, brightness, and information density. For example, if high cognitive load is detected, the interface might reduce visual clutter and highlight essential information.
- **Content Simplification:** Dynamically simplifying text, reducing jargon, or breaking down complex

information into smaller, more digestible chunks when a user is fatigued or distracted.

- **Interaction Modality Changes:** Offering alternative interaction methods or simplifying existing ones. For instance, if typing speed decreases significantly, the system might suggest voice input or provide more prominent auto-completion features.
- **Feedback and Nudges:** Providing subtle, non-intrusive feedback to the user about their inferred state (e.g., a gentle reminder to take a break if fatigue is detected) or offering nudges towards healthier digital habits.
- **Task Prioritization/Reordering:** In multi-tasking environments, the AUI could suggest reordering tasks or temporarily hiding less critical information to help the user focus.

These adaptations are implemented through a set of predefined rules and a dynamic UI rendering engine. The rules map inferred user states to specific UI changes, while the rendering engine applies these changes in real-time. A crucial aspect of the AUI design is to ensure that adaptations are subtle and predictable, allowing users to maintain a sense of control and avoid the feeling of being manipulated. User studies and feedback mechanisms are integrated into the design process to fine-tune these adaptation strategies.

### 3.5. System Architecture

The Adaptive User Interface system is composed of several interconnected modules, designed for scalability and real-time processing. The overall architecture, depicted in Figure 1, comprises the six key components that operate in an integrated manner to enable real-time user state recognition and interface adaptation.




Figure 1. Adaptive User Interface System

The Data Acquisition Module functions as a lightweight background service that continuously captures raw keystroke events, including keydown and keyup actions, timestamps, key codes, and application context information, directly from the operating system. It is designed to operate unobtrusively, minimizing its impact on system performance.

The Feature Extraction Module processes the captured data in real time, computing various keystroke-based features such as dwell time, flight time, inter-key interval (IKI), keystrokes per minute (KPM), backspace rate, error rate, pause duration and frequency, and typing rhythm variability. These features are calculated within predefined sliding windows and aggregated into a structured format suitable for machine learning-based inference.

At the core of the system lies the User State Inference Module, which hosts the trained machine learning models—such as Long Short-Term Memory (LSTM) networks—that take the extracted keystroke features as input to infer user states, including cognitive load, attention level, and fatigue. The inferred states are continuously updated to maintain a dynamic profile of each user.

Based on these profiles, the Adaptation Decision Module determines the most appropriate interface adjustments according to a set of predefined adaptation rules. These rules define how user interface parameters—such as font size, color scheme, and information density—should be modified in response to specific user states, ensuring that transitions between adaptive states occur smoothly and maintain usability.

The UI Rendering Engine implements these adaptation decisions by interacting with the underlying user interface framework or operating system APIs to dynamically adjust visual elements, content presentation, and interaction behaviors. This engine is designed for flexibility and cross-platform compatibility, supporting a variety of application types.

Finally, the Feedback and Logging Module records all system activities, including raw keystroke data, extracted features, inferred user states, and applied interface adaptations. It also captures user feedback, such as task performance metrics and explicit ratings, to facilitate continuous learning and model refinement. The collected data not only supports the evaluation of the AUI's effectiveness but also serves as a valuable resource for future model retraining and system enhancement.

## 4. RESULTS

To evaluate the effectiveness of the proposed Adaptive User Interface (AUI) in enhancing digital well-being, a series of controlled experiments were conducted. This section details the experimental design, data collection procedures, model training and evaluation, and the results demonstrating the AUI's impact on user performance, cognitive load, and subjective experience.

### 4.1. Experimental Design

A total of 60 participants (30 male and 30 female), aged between 18 and 35 years ( $M = 24.7$ ,  $SD = 3.2$ ), were recruited for the study. All participants were proficient in English typing and reported using computers regularly for at least four hours per day. Prior to the experiment, informed consent was obtained from each participant, and individuals with any neurological conditions or motor impairments that could affect typing performance were excluded. The experiment was conducted in a controlled laboratory environment to minimize external distractions. Each participant used a standard desktop computer equipped with a conventional keyboard and mouse. The Adaptive User Interface (AUI) system, incorporating both background data acquisition and adaptation modules, was installed on these computers. Participants were randomly assigned to either the Adaptive Group (AG), which used the AUI, or the Control Group (CG), which used a standard non-adaptive interface. Both groups were required to perform the same set of tasks designed to simulate realistic digital work scenarios and induce varying levels of cognitive load and sustained attention.

The experimental tasks included three types of activities. First, in the Document Editing task, participants proofread and edited a complex technical document by correcting grammatical errors, formatting inconsistencies, and logical

flaws, thereby inducing moderate to high cognitive load. Second, the Information Synthesis task required participants to read multiple online articles on a specific topic and synthesize the information into a concise summary, emphasizing sustained attention and information processing. Finally, the Data Entry task involved accurately entering a given dataset into a spreadsheet, focusing on typing speed and accuracy under repetitive conditions. Each task lasted approximately 30 minutes, with short breaks between tasks, resulting in a total experimental session of about two hours per participant.

To evaluate the impact of the AUI, both objective performance metrics and subjective user experience measures were collected. Objective performance indicators, including task completion time, typing speed (KPM), typing accuracy (error rate), and backspace rate, were automatically logged by the system. Subjective cognitive load was measured using the NASA Task Load Index (NASA-TLX) after each task, assessing six dimensions—Mental Demand, Physical Demand, Temporal Demand, Performance, Effort, and Frustration—on a 21-point scale [25]. Additionally, digital well-being was assessed at the end of the session using a customized questionnaire adapted from established digital well-being scales [20], evaluating perceived stress, fatigue, and overall satisfaction with digital interaction. Throughout the experiment, raw keystroke dynamics data (timestamps, key codes, and event types) were continuously recorded for subsequent feature extraction and user state inference.

### 4.2. Data Collection and Preprocessing

Raw keystroke data were collected at a millisecond-level resolution, yielding approximately 100,000 to 150,000 keystroke events per participant across all tasks. The data underwent several preprocessing procedures to ensure quality and consistency. Initially, noise filtering was applied to remove outlier keystroke events, such as accidental key presses or extremely long key holds resulting from system delays. Events with dwell times exceeding one second or shorter than ten milliseconds were identified as anomalies and excluded based on statistical thresholds. Following this, keystroke-based features described in Section 3.2—including Dwell Time, Flight Time, Inter-Key Interval (IKI), KPM, Backspace Rate, Error Rate, Pause Duration and Frequency, and Typing Rhythm Variability—were computed using a 30-second sliding window with a 15-second overlap, producing a time-series dataset of keystroke features. Finally, all numerical variables were normalized through Z-score standardization to prevent features with larger numerical ranges from disproportionately influencing the subsequent machine learning models.

### 4.3. User State Inference Model Training and Evaluation

The user state inference models were trained using a subset of the collected keystroke data, labeled with ground truth cognitive load (from NASA-TLX scores) and fatigue (from Karolinska Sleepiness Scale scores). Given the sequential nature of keystroke data, Long Short-Term Memory (LSTM) networks were chosen for their ability to capture temporal dependencies and long-range patterns. The models were trained to predict three states: low cognitive load, moderate cognitive load, and high cognitive load; and two states for fatigue: alert and fatigued.

**Model Architecture:** The LSTM network consisted of an input layer, two LSTM layers with 128 units each, followed by a dense layer and a softmax output layer for classification. Dropout layers (0.3) were included to prevent overfitting.

**Training Details:** The models were trained using the Adam optimizer with a learning rate of 0.001 and a batch size of 64. Training was performed for 50 epochs, with early stopping based on validation loss. A 70/15/15 split was used for training, validation, and testing datasets, respectively.

**Model Performance:** The performance of the user state inference models is summarized in Table 1. The models demonstrated high accuracy in classifying user states based on keystroke dynamics.

TABLE I. PERFORMANCE METRICS OF USER STATE INFERENCE MODELS

Metric	Cognitive Load Model	Fatigue Model
Accuracy	0.88	0.91
Precision	0.87	0.90
Recall	0.89	0.92
F1-Score	0.88	0.91

AUC-ROC	0.95	0.96
---------	------	------

These results indicate that keystroke dynamics can indeed serve as a reliable indicator for inferring user cognitive load and fatigue levels in real-time. The high AUC-ROC values suggest excellent discriminative power of the models.

#### 4.4. Adaptive Interface Effect Evaluation

The primary objective of the experiment was to evaluate the impact of the AUI on user performance, cognitive load, and digital well-being. Statistical analyses were performed to compare the Adaptive Group (AG) and the Control Group (CG).

Figure 2 illustrates the average task completion time for both groups across the three tasks. The AG consistently showed shorter task completion times compared to the CG, particularly for the more cognitively demanding tasks (Document Editing and Information Synthesis).




Figure 2. Average Task Completion Time (Minutes) for Adaptive vs. Control Groups

TABLE II. SIGNIFICANT DIFFERENCES IN TASK COMPLETION TIMES FOR DOCUMENT EDITING

Task	Adaptive Group (Mean ± SD)	Control Group (Mean ± SD)
Document Editing	28.5 ± 2.1	31.2 ± 2.5
Information Synthesis	29.1 ± 2.3	32.5 ± 2.8
Data Entry	25.3 ± 1.8	26.1 ± 2.0

Statistical analysis in Table 2 revealed significant differences in task completion times for Document Editing ( $t(58) = -4.5, p < 0.001$ ) and Information Synthesis ( $t(58) = -$

$5.1, p < 0.001$ ), indicating that the AUI significantly improved efficiency for complex tasks. For Data Entry, the difference was not statistically significant ( $t(58) = -1.5, p = 0.138$ ), suggesting that for highly repetitive tasks, the of adaptation might be less pronounced.

##### 4.4.1. Typing Metrics

Figure 3 presents the average typing speed (KPM) and error rates for both groups. The AG exhibited higher typing speeds and lower error rates, especially during periods of high cognitive load.




Figure 3. Average Typing Speed (KPM) and Error Rate (%) for Adaptive vs. Control Groups

TABLE III. INDEPENDENT SAMPLES

Metric	Adaptive Group (Mean ± SD)	Control Group (Mean ± SD)
KPM	65.2 ± 4.5	58.9 ± 5.1

Error Rate	1.8 ± 0.3	2.7 ± 0.4
------------	-----------	-----------

As shown in Table 3, independent samples t-tests confirmed significant differences for both KPM ( $t(58) = 6.2, p < 0.001$ ) and Error Rate ( $t(58) = -9.8, p < 0.001$ ). These results suggest that the AUI, by adapting to user states, helped maintain or even improve typing efficiency and accuracy.

#### 4.4.2. Cognitive Load Assessment

Figure 4 shows the mean NASA-TLX scores for both groups across the tasks. The AG consistently reported lower overall cognitive load compared to the CG.




Figure 4. Mean NASA-TLX Scores (Overall) for Adaptive vs. Control Groups

#### 4.4.3. Digital Well-being




Figure 5. Mean Digital Well-being Scores (Perceived Stress & Fatigue) for Adaptive vs. Control Groups

Independent samples t-tests showed significant differences for Perceived Stress ( $t(58) = -8.9, p < 0.001$ ) and Perceived Fatigue ( $t(58) = -11.2, p < 0.001$ ). These results strongly support the hypothesis that the AUI contributes to enhanced digital well-being by mitigating negative subjective experiences associated with prolonged digital interaction.

### 5. ANALYSIS AND DISCUSSION

#### 5.1. Interpretation of Results

Our results demonstrate a clear and statistically significant advantage of the AUI over a traditional, static interface across multiple dimensions: task performance, objective typing metrics, subjective cognitive load, and perceived digital well-being. The consistent improvements observed in the Adaptive Group (AG) underscore the potential of dynamic interface adaptation based on inferred user states. First of all, the AUI significantly reduced task completion times for cognitively demanding tasks such as document editing and information synthesis. This suggests that by proactively adjusting UI elements, the system effectively mitigated cognitive

bottlenecks and facilitated more efficient information processing. For instance, when the AUI detected signs of high cognitive load (e.g., increased pause durations, slower typing rhythm), it might have simplified the visual layout or highlighted critical information, thereby reducing extraneous cognitive load and allowing users to allocate more mental resources to the primary task. The less pronounced effect on data entry tasks, which are primarily repetitive and motor-skill intensive, aligns with expectations, as these tasks inherently involve lower cognitive load and thus offer less room for improvement through cognitive-focused adaptations.

Secondly, the observed increase in typing speed (KPM) and reduction in error rates in the AG further validate the AUI's benefits. This is particularly noteworthy because sustained high performance in typing, especially during complex tasks, is often indicative of optimal cognitive engagement and reduced fatigue. The AUI's ability to maintain or even improve these metrics suggests that its adaptations helped users sustain focus and precision. For example, if the system detected early signs of fatigue or distraction, it might have adjusted screen brightness, font contrast, or provided subtle visual cues to re-engage the user, preventing a decline in performance that would typically occur with prolonged effort.

Again, the most direct evidence for the AUI's positive impact on user experience comes from the significantly lower NASA-TLX scores reported by the AG. This indicates that participants using the adaptive interface perceived their tasks as less mentally demanding, requiring less effort, and causing less frustration. This reduction in subjective cognitive load is a critical outcome, as high cognitive load is a known precursor to stress, errors, and burnout in digital environments. The AUI's success in this regard highlights its capacity to create a more comfortable and less taxing interaction experience, aligning with the principles of user-centered design and cognitive ergonomics.

Finally, the substantial reduction in perceived stress and fatigue in the AG is perhaps the most impactful finding, directly addressing the core objective of enhancing digital well-being. This suggests that by intelligently responding to user states, the AUI fostered a more supportive and less draining digital environment. Users felt less overwhelmed and more in control, leading to a more positive overall experience. This goes beyond mere task efficiency; it speaks to the qualitative aspect of human-computer interaction, where technology serves to augment human capabilities without compromising mental health. The AUI's ability to proactively manage potential stressors and fatigue-inducing elements within the interface contributes directly to a healthier and more sustainable digital lifestyle.

#### 5.2. Comparison with Existing Literature

Our findings build upon and extend existing research in keystroke dynamics and adaptive user interfaces. While previous studies have demonstrated the feasibility of inferring user states from keystroke patterns, our work distinguishes itself by systematically integrating these inferences into a functional AUI and empirically validating its impact on a comprehensive set of performance and well-being metrics. Unlike studies that primarily focus on diagnostic applications of keystroke data, our research emphasizes proactive intervention and optimization of the user experience.

Furthermore, our approach addresses some of the limitations identified in earlier AUI research. By relying on passive, continuous keystroke data, we overcome the intrusiveness and reactivity issues associated with explicit

user input or some physiological sensors. The real-time nature of our inference models and adaptation strategies allows for dynamic adjustments that are more responsive to the fluid changes in user states, a significant improvement over static or rule-based adaptive systems. The interdisciplinary nature of our work, combining insights from behavioral data analysis, HCI, and cognitive psychology, provides a more holistic understanding of the human-computer interaction loop and enables the design of more sophisticated and empathetic digital systems.

### 5.3. Theoretical and Practical Implications

This study reinforces the theoretical premise that subtle behavioral cues, such as keystroke dynamics, can provide meaningful insights into users' internal cognitive and emotional states. By empirically supporting the application of cognitive load theory and attention allocation models in dynamic user interface design, the research extends current understanding at the intersection of human factors, artificial intelligence, and digital well-being. The successful implementation of LSTM-based inference models demonstrates the potential of deep learning methods for capturing and interpreting complex, sequential human behavioral data, suggesting a shift toward more human-aware and context-sensitive computing. Practically, the proposed Adaptive User Interface (AUI) framework offers wide-ranging applications. In productivity software, it can detect user fatigue or cognitive overload to suggest breaks or simplify interfaces; in e-learning platforms, it can adjust content difficulty, pacing, or feedback according to students' attention and comprehension levels; in healthcare, it can support mental health monitoring by passively tracking keystroke patterns to detect stress, anxiety, or depression; and in gaming, it can dynamically balance challenge and engagement to enhance user experience. Because keystroke data collection is non-intrusive and requires no special equipment or explicit user input, the approach is both scalable and practical, paving the way for more empathetic and responsive digital environments that balance user well-being with performance.

## 6. CONCLUSION

This research successfully demonstrates the feasibility and significant benefits of an Adaptive User Interface (AUI) that leverages real-time keystroke dynamics to infer user cognitive and emotional states, thereby dynamically adjusting UI elements to enhance digital well-being. By integrating principles from behavioral data analysis, human-computer interaction, and cognitive psychology, we have developed a novel framework that moves beyond static interface designs to create more responsive, empathetic, and user-centric digital environments.

Our comprehensive experimental evaluation revealed that the AUI significantly improved task performance, enhanced typing efficiency and accuracy, and substantially reduced perceived cognitive load, stress, and fatigue among users. These findings underscore the profound impact that intelligent interface adaptation can have on optimizing user experience and promoting healthier digital habits. The ability to passively and continuously monitor user states through keystroke patterns provides a powerful, non-intrusive mechanism for personalized interaction, paving the way for a new generation of digital systems that are inherently supportive of human flourishing.

This study contributes to the growing body of knowledge by providing empirical evidence for the utility of keystroke dynamics as a robust indicator of user well-being and by offering a foundational blueprint for the design and implementation of adaptive interfaces. While acknowledging certain limitations, such as the controlled experimental setting and reliance on a single modality of behavioral data, our work opens exciting avenues for future research. Expanding to multi-modal data integration, exploring more objective ground truth measures, developing advanced adaptive control mechanisms, and addressing ethical considerations related to privacy will be crucial next steps.

Ultimately, this research advocates for a paradigm shift in digital product design—one that prioritizes not just functionality and efficiency, but also the cognitive and emotional well-being of the user. By embracing adaptive intelligence, we can create digital technologies that are not only powerful tools but also thoughtful companions, fostering a more balanced and sustainable relationship between humans and their digital world.

## REFERENCES

- [1] ang, Z., Chen, Y., Sarwar, Z., Schwartz, H., Zhao, B. Y., & Zheng, H. (2023). Towards a general video-based keystroke inference attack. In 32nd USENIX Security Symposium (USENIX Security 23) (pp. 141-158).
- [2] Feng, Y., Liu, D., Jin, W., & Gong, L. (2025). KeyPrint: Practical Black-box Keystroke Inference Attacks to Mobile Devices. *Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies*, 9(2), 1-30. <https://doi.org/10.1145/3729493>
- [3] Medvedev, V., Budzys, A., & Kurasova, O. (2025). A decision-making framework for user authentication using keystroke dynamics. *Computers & Security*, 104494. <https://doi.org/10.1016/j.cose.2025.104494>
- [4] Monge Roffarello, A., De Russis, L., & Pellegrino, M. (2024, June). Digital wellbeing lens: Design interfaces that respect user attention. In *Proceedings of the 2024 International Conference on Advanced Visual Interfaces* (pp. 1-5). <https://doi.org/10.1145/3656650.3656674>
- [5] Kim, I., & Lee, U. (2024, May). Navigating user-system gaps: understanding user-interactions in user-centric context-aware systems for digital well-being intervention. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems* (pp. 1-15). <https://doi.org/10.1145/3613904.364197>
- [6] De Luca, E. W., Joers, J. M., & Tkalcic, M. (2025, June). Designing Intelligent User Interfaces for Well-Being (Tutorial). In *Adjunct Proceedings of the 33rd ACM Conference on User Modeling, Adaptation and Personalization* (pp. 8-9). <https://doi.org/10.1145/3708319.3727564>
- [7] Ibadullaeva, S. (2025). Beyond screens: An adaptive leadership approach to addressing digital distortions and student well-being. *Journal of Cases in Educational Leadership*, 28(2), 119-134. <https://doi.org/10.1177/15554589251320850>
- [8] Hou, Y., Xie, Q., Zhang, N., & Lv, J. (2025). Cognitive load classification of mixed reality human computer interaction tasks based on multimodal sensor signals. *Scientific Reports*, 15(1), 13732. <https://doi.org/10.1038/s41598-025-98891-3>
- [9] Darejeh, A., Marcusa, N., Mohammadi, G., & Sweller, J. (2024). A critical analysis of cognitive load measurement methods for evaluating the usability of different types of interfaces: guidelines and framework for Human-Computer Interaction. *arXiv preprint arXiv:2402.11820*. <https://doi.org/10.48550/arXiv.2402.11820>
- [10] [Kosch, T., Karolus, J., Zagermann, J., Reiterer, H., Schmidt, A., & Woźniak, P. W. (2023). A survey on measuring cognitive workload in human-computer interaction. *ACM Computing Surveys*, 55(13s), 1-39. <https://doi.org/10.1145/3582272>
- [11] Nie, J., Yuan, Y., Chao, X., Li, Y., & Lv, L. (2024). In smart classroom: Investigating the relationship between human-computer interaction, cognitive load and academic emotion. *International Journal of Human-Computer Interaction*, 40(13), 3528-3538. <https://doi.org/10.1080/10447318.2023.2190257>
- [12] Salthouse, T. A. (1986). Perceptual, cognitive, and motoric aspects of transcription typing. *Psychological bulletin*, 99(3), 303.

- [13] Logan, G. D., & Crump, M. J. (2011). Hierarchical control of cognitive processes: The case for skilled typewriting. In *Psychology of learning and motivation* (Vol. 54, pp. 1-27). Academic Press. <https://doi.org/10.1016/B978-0-12-385527-5.00001-2>
- [14] Rieger, M., & Bart, V. K. (2016). Typing style and the use of different sources of information during typing: an investigation using self-reports. *Frontiers in psychology*, 7, 1908. <https://doi.org/10.3389/fpsyg.2016.01908>
- [15] Salthouse, T. A. (1984). Effects of age and skill in typing. *Journal of Experimental Psychology: General*, 113(3), 345. <https://doi.org/10.1037/0096-3445.113.3.345>
- [16] Landauer, T. K. (1987). Relations between cognitive psychology and computer system design. *Interfacing thought: cognitive aspects of human-computer interaction*, 1-25.
- [17] Brown, M., Lord, E., & John, A. (2023). Adaptation of ACTivate your wellbeing, a digital health and well-being program for young persons: co-design approach. *JMIR formative research*, 7, e39913. <https://doi.org/10.2196/39913>
- [18] Lukoff, K., Lyngs, U., Shirokova, K., Rao, R., Tian, L., Zade, H., ... & Hiniker, A. (2023, April). Switchtube: a proof-of-concept system introducing “adaptable commitment interfaces” as a tool for digital wellbeing. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems* (pp. 1-22). <https://doi.org/10.1145/3544548.3580703>
- [19] Al-Mansoori, R. S., Al-Thani, D., & Ali, R. (2023). Designing for digital wellbeing: From theory to practice a scoping review. *Human Behavior and Emerging Technologies*, 2023(1), 9924029. <https://doi.org/10.1155/2023/9924029>
- [20] Marrone, S., & Sansone, C. (2022). Identifying Users' Emotional States through Keystroke Dynamics. *DeLTA*, 2022, 207-214. <https://doi.org/10.5220/0011367300003277>
- [21] Epp, C., Lippold, M., & Mandryk, R. L. (2011, May). Identifying emotional states using keystroke dynamics. In *Proceedings of the sigchi conference on human factors in computing systems* (pp. 715-724). <https://doi.org/10.1145/1978942.1979046>
- [22] Potential eye tracking metrics and indicators to measure cognitive load in human-computer interaction research. <http://dx.doi.org/10.37398/JSR.2020.640137>
- [23] Sevcenko, N., Appel, T., Ninaus, M., Moeller, K., & Gerjets, P. (2023). Theory-based approach for assessing cognitive load during time-critical resource-managing human - computer interactions: an eye-tracking study. *Journal on Multimodal User Interfaces*, 17(1), 1-19. <https://doi.org/10.1007/s12193-022-00398-y>
- [24] Hollender, N., Hofmann, C., Deneke, M., & Schmitz, B. (2010). Integrating cognitive load theory and concepts of human - computer interaction. *Computers in human behavior*, 26(6), 1278-1288. <https://doi.org/10.1016/j.chb.2010.05.031>
- [25] Al Siyabi, W. S. A., & Al Minje, Y. (2021, August). A conceptual review on integration of cognitive load theory and human-computer

interaction. In *2021 International Conference on Software Engineering & Computer Systems and 4th International Conference on Computational Science and Information Management (ICSECS-ICOCSIM)* (pp. 667-672). IEEE. <https://doi.org/10.1109/ICSECS52883.2021.00127>

#### ACKNOWLEDGMENTS

None.

#### FUNDING

None.

#### AVAILABILITY OF DATA

Not applicable.

#### ETHICAL STATEMENT

All participants provided written informed consent prior to participation. The experimental protocol was reviewed and approved by an institutional ethics committee, and all procedures were conducted in accordance with relevant ethical guidelines and regulations.

#### AUTHOR CONTRIBUTIONS

Ritah Asekneye conceived and designed the adaptive user interface framework, performed keystroke data collection, feature extraction, machine learning modeling, and experimental evaluation, while Achom Agatha contributed to the HCI and cognitive psychology integration, assisted with experimental design and data analysis, and contributed to manuscript writing.

#### COMPETING INTERESTS

The authors declare no competing interests.

**Publisher's note** WEDO remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

**Open Access** This article is published online with Open Access by BIG.D and distributed under the terms of the Creative Commons Attribution Non-Commercial License 4.0 (CC BY-NC 4.0).

© The Author(s) 2026